



- SINGLE, DUAL & TRIPLE OUTPUT VERSIONS
- LINE & LOAD REGULATION <0.001%
- LOW NOISE & RIPPLE <1.5MVPP
- INPUT 115/230V (SELECTABLE BY TAPS)
- FORM, FIT AND FUNCTION REPLACEMENTS



ELITE SERIES

Designed to industry standard sizes, these Single and multi-output Linear power supply units for OEM applications from Powerstax are perfect for the replacement of hard-to-find and discontinued products.

Powerstax can help you solve your most demanding power applications and reverse engineering requirements with reliable, quality products, and personal service.

MODEL	Output Volts (preset)	Maximum Current	Module Size
5E5	5V	5A	E1
5E10	5V	10A	E2
12E3	12V	3A	E1
12E6	12V	6A	E2
15E3	15V	3A	E1
15E6	15V	6A	E2
24E2	24V	2A	E1
24E4	24V	4A	E2
24E8	24V	8A	E3
30E1	30V	1.5A	E1
30E3	30V	3A	E2
12TE1	2 x 12V	1.5A	E1
12TE3	2 x 12V	3A	E2
15TE1	2 x 15V	1.5A	E1
12TE3	2 x 15V	3A	E2
5TE4	5 ±15V	4A ±1A	E2

DIMENSIONS

MODULE	W	H	D
E1	105	88	164
E2	215	88	164
E3	215	128	200

Exceeding absolute maximum ratings may cause permanent damage and may reduce reliability.

E: sales@powerstax.com

W: www.powerstax.com

Powerstax Europe

Units 5-6 Heron Avenue
Wickford
Essex
SS11 8DL, UK
T: +44 (0)1268 568200

Powerstax North America

12804 W. Santa Ynez Drive
Sun City West
Arizona 85375
USA
T: +1 877 215 8463

Information and specifications contained in this data sheet are believed to be correct at the time of publication. However, Powerstax accept no responsibility for consequences arising from printing errors or inaccuracies. Specifications are subject to change without notice.

Revision 2

Copyright © 2017 Powerstax Ltd